

VP-2L

1:1 Computer Graphics Video Line Amplifier

| VGA/UXGA - 15-pin HD



The VP-2L is a high-performance line amplifier for computer graphics video signals with resolutions up to and exceeding UXGA. It provides controls to compensate for signal losses inherent in long cable runs

## **FEATURES**

Resolution up to UXGA

**HDTV** Compatible

Level (Gain) and EQ (Peaking) Controls - Recessed control trimmers to prevent tampering ID Bit Control

Compact Size - Part of the Kramer TOOLS  $^{\text{TM}}$  family of compact, high quality and cost effective solutions



## TECHNICAL SPECIFICATIONS

INPUT: 1 UXGA on a 15-pin HD (F) connector

OUTPUT: 1 UXGA on a 15-pin HD (F) connector

MAX. OUTPUT

LEVEL:

1.5Vpp

RESOLUTION: Up to UXGA

DIFF. GAIN: 2.7%

DIFF. PHASE: 0.09Deg

K-FACTOR: 0.1%

S/N RATIO: 73dB

CONTROLS: Level: -7.4dB to +4dB; EQ.: 0 to +26.4dB

COUPLING: DC

POWER 5V DC, 307mA

CONSUMPTION:

INCLUDED Power supply

ACCESSORIES:

Product Dimensions 5.33cm x 7.30cm x 4.36cm (2.10" x 2.87" x 1.72" ) W, D, H

Product Weight 0.1kg (0.1lbs) approx

Shipping Dimensions 23.20cm x 13.60cm x 10.00cm (9.13" x 5.35" x 3.94") W, D, H

Shipping Weight 0.8kg (1.8lbs) approx

