EB-2265U



DATASHEET

















Deliver Full HD presentations with a projector that offers easy to use wireless features and HDBaseT technology for more flexible installation.

Bring sharp images and bright colours to any meeting room with our superbright Full HD projector, designed to project a scalable image up to a massive 300 inches. It offers a wide range of connectivity options including HDBaseT, screen mirroring and wireless LAN. Plus you can change slides with the swipe of a hand with Gesture Presenter.

Outstanding quality display of up to 300 inches

Full HD resolution combined with Epson's 3LCD technology ensures high-quality content has more vivid colours and brighter images. Versatile connectivity guarantees sharper and clearer presentations delivered on a scalable image size of up to 300 inches.

HDBaseT connectivity

The EB-2265U offers a wide range of connectivity options, including HDBaseT, screen mirroring, wireless LAN and two HDMI inputs. HDBaseT provides Full HD video, audio and Ethernet connectivity via one cable to enable efficient control from 100m away.

Home screen

The home screen offers quick and easy access to a variety of useful functions, such as connection sources. Wireless connections can also be made easily using the information on the screen.

Gesture Presenter

Change slides by simply moving your hand, making even smarter presentations a reality by liberating the user from their remote control or mouse.

Auto Power On

The projector will start-up automatically upon connecting an HDMI, VGA, or USB cable, meaning you no longer have to use the power button on the remote control

KEY FEATURES

- Up to 300-inch display & great quality
 Full HD resolution with Epson's 3LCD technology
- Bring presentations to life
 Outstanding 5,500-lumen brightness
- Extensive connectivity options
 HDBaseT, screen mirroring and wireless
 LAN. as well as dual HDMI
- Flexible interaction

 Split-screen and multi-PC projection
- Gesture Presenter
 Intuitively use gestures to control the projector





PRODUCT SPECIFICATIONS

TECHNOLOGY

3LCD Technology, RGB liquid crystal shutter Projection System

LCD Panel 0.76 inch with D10

IMAGE

Colour Light Output 5.500 lumen- 3.800 lumen (economy) in accordance with IDMS15.4 5.500 lumen - 3.800 lumen (economy) In accordance with ISO 21118:2012 White Light Output

Resolution WUXGA, 1920 x 1200, 16:10

Contrast Ratio

300 W, 5.000 h durability, 10.000 h durability (economy mode) Lamp

Keystone Correction Auto vertical: \pm 30 °, Auto horizontal \pm 20

Upto 1.07 billion colours Colour Reproduction

High Definition Full HD Aspect Ratio

OPTICAL

1.38 - 2.28:1 Projection Ratio Zoom Digital, Factor: 1 - 1,6 Image Size 50 inches - 300 inches Projection Distance Wide 1,5 m (50 inch screen) Projection Distance Tele 9 m (300 inch screen)

Projection Lens F Number

1,5 - 2 Focal Distance 23 mm - 38,4 mm Focus Manual Offset 10:1

CONNECTIVITY

USB Display Function 3 in 1: Image / Mouse / Sound

USB 2.0 Type A, USB 2.0 Type B, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), Interfaces

Gigabit ethernet interface, Wireless LAN IEEE 802.11b/g/n, VGA in (2x), VGA out, HDMI in (2x), Composite in, RGB in (2x), RGB out, HDBaseT, Miracast, MHL, Stereo mini jack audio out,

Stereo mini jack audio in (2x), Wireless LAN b/g/n (2.4GHz)

Epson iProjection App Ad-Hoc / Infrastructure

ADVANCED FEATURES

Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless

LAN unit lock, Wireless LAN security, Password protection

Features AV mute slide, Auto Power On, Automatic input selection, Automatic keystone correction,

> Built-in speaker, CEC compatible, Direct Power on/off, Document Camera Compatible, Screen Fit, Freeze image, Gesture Presenter, Home Screen, JPEG Viewer, Long lamp life, MHL audio/video interface, Network administration, OSD copy function, PC Free, iProjection App for Chromebook, Quick Corner, Screen Mirroring, Slide show, Split-Screen-Function, Wireless

LAN capable, iProjection App

Video Colour Modes Blackboard, Dynamic, Photo, Presentation, sRGB, DICOM SIM

GENERAL

Security

Energy Use 425 W, 323 W (economy), 0,5 W (standby) Product dimensions 377 x 291 x 110 mm (Width x Depth x Height)

Product weight 4.7 ka

Noise Level Normal: 39 dB (A) - Economy: 29 dB (A)

Included Software Epson Projector Management Software, EasyMP Multi PC Projection

Loudspeaker 16 W Colour White

OTHER

Warranty 36 months Carry in or 8.000 h, Lamp: 12 months or 1.000 h

EB-2265U

WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- Software (CD)
- VGA cable
- User Manual (CD-ROM)
- Warranty card
- Wireless LAN unit



OPTIONAL ACCESSORIES

EB-2265U

- Air Filter ELPAF41V13H134A41
- Wireless LAN Adapter ELPAP10 V12H731P01
- Soft Carry Case ELPKS68 V12H001K68
- Ceiling Mount (White) ELPMB23 V12H003B23
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- HDBaseT Transmitter ELPHD01 V12H547040
- ELPLP95 V13H010L95
- Control and Connection Box ELPCB02 V12H614040

LOGISTICS INFORMATION

sku	V11H814040
EAN code	8715946628462
Country of Origin	China